

Palisade technical cut sheet

Polymer plate MBR cassette. Targeted scour. BABA at the module. No PFAS on the polymer plate. Cut / weld / assemble / pack in Poughkeepsie. Companion to the general thin-film catalog.



Area / plate	~1.05 m2 (both faces)
130-plate	~136.5 m2
260-plate	~273 m2
Panel	41.2 x 19.8 in; 7.60 mm thick
Channel gap	6.40 mm
Cassette (260)	~7.0 x 3.1 x 10.0 ft
Air scour	10 L/min per m2 (0.35 SCFM/m2)
Module air	48 / 96 SCFM (130 / 260)
Orifice	1.25 mm; 2.5 in Sch 40
Frame	304 std / 316 optional
Cleaning	CIP; not backwashed
PRELIM. flux	7.4-12.3 gfd (12.5-21 LMH)
PRELIM. TMP	2.2 psi; typically 8 on / 2 off
MLSS	3,000-12,000 mg/L
BABA	At the MODULE
PFAS	No PFAS on polymer plate
Factory	Cut / weld / assemble / pack in Poughkeepsie
Rental	Cassette OK for pilot work

Palisade has not run in a plant yet. Flux bands are PRELIMINARY. No-PFAS language is Palisade-only. Polymer plate only (no third-party plate brand name-outs).

Modules, units, and packaged skids. Not full plant builds.